

CaviCide™ & CaviWipes™

CaviWipes™ and CaviCide™ kill clinically relevant organisms such as bacteria, viruses, fungi and TB in just 3 minutes. These products are ready-to-use with no dilution or mixing required.



Clean, disinfect and decontaminate the hard, non-porous surfaces in your facility with speed and confidence. CaviWipes and CaviCide get the job done right from the start.

Features & Benefits

- **Saves Time and Inventory.** A cleaner and disinfectant in one.
- **Stays Fully Saturated.** Better fluid capacity means the towelettes will not dry out during use.
- **Convenient.** Ready-to-use towelette and CaviCide in one.
- **Nonabrasive.** Recommended for use on nonporous surfaces.
- **Superior Surface Contact.** Durable, nonwoven towelettes will not bunch up during use.

Ordering Information

13-1100	CaviWipes – 160 towelettes per canister	12 canisters/case
13-1150	CaviWipesXL – 65 towelettes per canister	12 canisters/case
13-1155	CaviWipesXL (singles) – 50 wipes per box	6 boxes/case
13-1175	CaviWipes canister wall bracket	12 brackets/case
13-1224	CaviWipes in a Flat Pack – 45 wipes per pack	20 packs/case
13-1002	CaviCide – 2 ounce spray bottle	48 bottles/case
13-1024	CaviCide – 24 ounce spray bottle	12 bottles/case
13-1000	CaviCide – 1 gallon bottle	4 bottles/case
13-1025	CaviCide – 2.5 gallon bottle	2 bottles/case

See back page for a kill times with associated pathogens.

CaviCide™ & CaviWipes™

CaviWipes & CaviCide kill these critical pathogens.



3 MINUTES

- *Mycobacterium tuberculosis* var: *bovis* (BCG)
- *Pseudomonas aeruginosa*
- *Salmonella enterica*
- *Trichophyton mentagrophytes*
- *Staphylococcus aureus*



2 MINUTES


- Methicillin Resistant *Staphylococcus aureus* (MRSA)
- Vancomycin Resistant *Enterococcus faecalis* (VRE)
- *Staphylococcus aureus* with Reduced Susceptibility to Vancomycin
- Hepatitis B Virus (HBV)
- Hepatitis C Virus (HCV)
- Human Immunodeficiency Virus (HIV-1)
- Herpes Simplex Virus Types 1 and 2
- Influenza A2 Virus

To learn more about CaviWipes and CaviCide visit us at metrex.com

CaviWipes™

Step 1: Clean before disinfecting


1. Pull out CaviWipes towellette, tearing at a 90° angle.



2. Use CaviWipes towelette(s) to completely pre-clean surface of all gross debris.



3. Dispose of used towelette in accordance with Federal, State, and local regulations for infectious materials disposal.



CaviWipes are intermediate level disinfectants recommended for use on hard, non-porous surfaces in healthcare settings.


- Effective against TB and MRSA in 3 minutes
- Effective against HIV-1, HBV, and HCV in 2 minutes
- For use on hard non-porous surfaces
- Cleaner and disinfectant

Step 2: Disinfect after cleaning

1. Pull out CaviWipes towellette, tearing at a 90° angle.



2. Disinfect surface with towelette. Leave surface wet for 3 minutes. Dispose of used towelette in accordance with Federal, State, and local regulations for infectious materials disposal.



Ordering Information

Part No.	Description	Packaging
13-1100	CaviWipes, 6" x 6 3/4" (canister of 160)	12 canisters / case
10-1090	CaviWipes, 6" x 6 3/4" (canister of 220)	12 canisters / case
13-1150	CaviWipes XL, 9" x 12" (canister of 65)	12 canisters / case
13-1155	CaviWipes XL, 9" x 12" (box of 50)	6 boxes / case
13-1224	CaviWipes, Flat Packs, 7" x 9" (pack of 45)	20 packs / case
13-1175	CaviWipes canister wall bracket	12 brackets / case
13-1185	Flat Pack Wall Mount	20 mounts / case

